

PRO_{SERIES}

HORIZONTAL STRETCH FILM WRAPPING
MACHINES AND TECHNOLOGIES



DYNAPRO
www.dynaprap.eu



Follow Us
On LinkedIn 



View PDF

Download
Our Catalog



PRO

- ▶ MAXIMUM QUALITY OF THE FINISHED PRODUCT
- ▶ PERSONALISATION OF THE MACHINE ACCORDING TO MANUFACTURING NEEDS
- ▶ USER FRIENDLY AND EXTREMELY EASY TO USE

PRO S / PRO HR

En_ Automatic horizontal stretch wrapping machine. Simple, robust and perfect for long products.



Es_ Enrollador horizontal automático con film extensible. Simple y robusto para productos largos.

It_ Avvolgitore orizzontale automatico con film estensibile. Semplice robusto per prodotti lunghi.

De_ Automatischer Horizontal-Stretch- wickler. Einfach und robust, für lange Produkte.

Ru_ Автоматический горизонтальный обмотки в стрейч пленку. Простой и мощный для упаковки длинномерной продукции.

Fr_ Banderoleuse horizontale automatique avec film extensible. Simple et robuste, par-faitement adaptée à des produits longs.



En_ Standard Machine Configuration Includes

- Motorized conveyors
- Pneumatic pressure units
- inch Beijer Touch Panel
- Smart Control System
- Easy Remote Connection
- Reporting

De_ Standardmaschinenkonfiguration beinhaltet

- Angetriebener Förderbänder
- Pneumatische Niederhaltevorrichtung
- 7 Zoll Beijer Touch Panel
- Smart Control System
- Easy Remote Connection

Fr_ La machine standard comprend

- Convoyeurs motorisés
- Presseur pneumatique
- Écran tactile Beijer 7 pouces
- Smart Control System
- Easy Remote Connection

Ru_ Стандартная конфигурация машины включает

- В комплекте с приводными конвейерами разного исполнения
- В комплекте с пневматическим прижимом.
- 7-дюймовая сенсорная панель Beijer
- Интеллектуальная система управления

Es_ La máquina estándar incluye

- Transportadores motorizados
- Prensor neumático
- Beijer Pantalla Táctil de 7 pulgadas
- Smart Control System
- Acceso fácil remoto
- Informes

“ MAXIMUM PRODUCTIVITY AND QUALITY OF THE FINISHED PRODUCT ”

Fast, flexible and efficient, the PRO series is the most reliable and versatile wrapping machine on the market. PRO's technology ensures your products are properly packed.



PRO has been designed with an 15 years of know-how and developed to fulfill all the customer expectations.

Thanks to the new compact design, Pro fits everywhere. You do not need to worry for the space. Reduced side curves and no folding additional plate inside the crown makes a bigger diameter in a smaller space.

Built with a strong chassis ensuring a long lasting product life and also guaranteeing stability during operation.

Additional Welding Unit with air bubble wrap provides flexibility to your process and product needs.

The Pneumatic Pressure Units (PPU) holds the piece still during machining operations without scratching it. Optional Smart PPU can increase productivity by modifying the stroke.

“ Built for customers who value reliability at low cost per hour. Easy to operate and easy to own. ”

“ DYNAWRAP PRO IS USER FRIENDLY AND EXTREMELY EASY TO USE ”

PRO S / PRO BN




“ TECHNOLOGY HAS NEVER BEEN THAT EASY. SETTING UP THAT IS SO EFFORTLESS, IMMEDIATE, AND AT EVERYONE’S LEVEL THANKS TO THE PRO’S “**SMART CONTROL PANEL**” . ”



With continuous training and development, we stay up to date with the newest technology.

7 inch Beijer Touch Panel with Windows Operating System and user friendly interface is very easy to operate.



The limits of what you can do with PRO only depends on you. All our machines comes with 7 inch Beijer Touch Panel, Beijer Drivers, Easy Remote connection, usb and ftp reporting (data transfer).

Optionally wifi connection, data transfer, cloud connection, real time reporting features are available.



Within minutes you can set up fast track to the cloud to configure and deploy an IIoT system.

Dynawrap PRO is intuitive and easy-to-use.

“ Start your journey to a smart factory and learn how you can increase productivity and reduce costs. ”

TECHNICAL SPECIFICATIONS

PRO S / PRO BN


PRO 1800

PRO 1400


PRO 1000

PRO 600


MODELS



PRO S



PRO BN



PRO MACHINE FEATURES / CARACTERISTICAS DE LA MÁQUINA




Ring Diameter/Diámetro Interior (mm)	970 mm
Conveyor Height / Altura del Conveyor (cm)	870 mm
Conveyor Length (mm) / Largo de Conveyor	4900 mm
Max. Rotation Speed (Rpm) /Velocidad (rpm)	100
Power supply voltage/Voltage (V)	230 V or 400 V 3Ph+N 50/60 Hz
Installed power (kw) /Potencia (kw)	3
Max. Bubble Wrap Width (mm)	950 mm
Min. Packing / Producto Mínimo (mm)	100x18x550
Working Pressure/ Presión (Bar)	6±1

	PRO 600	PRO 1000	PRO 1400	PRO 1800
L(min)	400mm	500mm	500mm	500mm
A	250mm	250mm	250mm	250mm
H_ Film	125 / 170mm	125 / 250mm	125 / 250mm	250mm
D	76	76	76	76
Rpm	125	100	60	50

AVAILABLE ACCESORIES

PRO S / PRO BN

Conveyors for light, medium or heavy loads using free/motorized rollers, belts or modular belts.



FREE ROLLER TYPE	
CONVEYOR LENGTH (L)	1800-8000 mm
WIDTH	600-850 mm
ROLLER MATERIAL	Iron / Steel
ROLLER DIAMETER	50 mm
ROLLER SPACING	60-150 mm
SIDE GUIDES	Optional



BELT TYPE	
CONVEYOR LENGTH (L)	2900 mm
WIDTH	750-900 mm
ROLLER MATERIAL	Iron / Steel Aluminium
DRUM DIAMETER	60 mm
MOTORS	Vertical / Horizontal
SIDE GUIDES	Optional

MOTORIZED ROLLER TYPE	
CONVEYOR LENGTH (L)	1800-8000 mm
WIDTH	600-900 mm
ROLLER MATERIAL	Iron / Steel
ROLLER DIAMETER	50 mm
ROLLER SPACING	60-150 mm
SIDE GUIDES	Optional
SPEED	5-30m/min

LIFT SERIES

**“ IMPROVE
WORKER
PRODUCTIVITY ”**

HL 900



KEY FEATURES

- ▶ HAND PALLET TRUCK ACCESIBLE
- ▶ 115mm LOWERED HEIGHT
- ▶ 900mm RAISED HEIGHT
- ▶ 900kg CAPACITY
- ▶ 0,75Kw POWER
- ▶ 250 Bar MAX. PRESSURE

**“ POSITION YOUR WORK AT THE
MOST COMFORTABLE HEIGHT ”**

D
DYNARAP
www.dynawrap.eu



www.dynawrap.eu
dynawrap@katay.com.tr

Download
Our Catalog



View PDF